



Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium

Hole	0.8mm
Pitch	1.6mm
Open area	23%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium

Hole	1.2mm
Pitch	1.6mm
Open area	51%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium

Hole	1.2mm
Pitch	1.6mm
Open area	45%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium

Hole	1.2mm
Pitch	2.0mm
Open area	32%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium

Hole	1.6mm
Pitch	2.4mm
Open area	44%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium

Hole	1.6mm
Pitch	3.2mm
Open area	25%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	1.9mm
Pitch	2.5mm
Open area	51%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	2.0mm
Pitch	3.0mm
Open area	40%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	2.4mm
Pitch	4mm
Open area	33%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	2.4mm
Pitch	4.8mm
Open area	23%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	3mm
Pitch	4mm
Open area	51%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	3.2mm
Pitch	4.8mm
Open area	40%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium

Hole	3.2mm
Pitch	5.5mm
Open area	31%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	4mm
Pitch	4.8mm
Open area	63%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	4mm
Pitch	6.35mm
Open area	40%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	4.8mm
Pitch	6.35mm
Open area	52%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	4.8mm
Pitch	8mm
Open area	32%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	4.8mm
Pitch	9.5mm
Open area	26%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35mm
Pitch	8mm
Open area	57%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35mm
Pitch	9.5mm
Open area	40%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	8mm
Pitch	11mm
Open area	48%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5mm
Pitch	12.7mm
Open area	51%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5mm
Pitch	14mm
Open area	42%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	12.7mm
Pitch	17.5mm
Open area	48%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	8mm
Pitch	11mm
Open area	48%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5mm
Pitch	12.7mm
Open area	51%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5mm
Pitch	14mm
Open area	42%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	12.7mm
Pitch	17.5mm
Open area	48%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	5 x 5 mm
Pitch	6.35 x 6.35mm
Open area	64%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35 x 6.35mm
Pitch	8 x 8 mm
Open area	63%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35 x 6.35mm
Pitch	9.5 x 9.5 mm
Open area	45%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5 x 9.5 mm
Pitch	12.7 x 12.7mm
Open area	56%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	12.7 x 12.7mm
Pitch	16 x 16mm
Open area	64%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	R28
Pitch	
Open area	50%
Type	stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	R20
Pitch	
Open area	35%
Type	
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft


Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35 x 6.35mm
Pitch	9.5 x 9.5 mm
Open area	45%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316


Hole	9.5 x 9.5 mm
Pitch	12.7 x 12.7mm
Open area	56%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	12.7 x 12.7mm
Pitch	16 x 16mm
Open area	64%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	R28
Pitch	16 x 16mm
Open area	50%
Type	stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




Hole	R20
Pitch	16 x 16mm
Open area	35%
Type	
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft

Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228

www.wiremesh-expert.com sales@wiremesh-expert.com



Hole	R40
Pitch	
Open area	79%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228

www.wiremesh-expert.com sales@wiremesh-expert.com




Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228


www.wiremesh-expert.com sales@wiremesh-expert.com

Qinghe Metal Mesh Co.




material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	6.35 x 6.35mm
Pitch	9.5 x 9.5 mm
Open area	45%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



material : cold rolled steel , Galv steel ,Aluminium
SS430 ,SS304, SS316

Hole	9.5 x 9.5 mm
Pitch	12.7 x 12.7mm
Open area	56%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	12.7 x 12.7mm
Pitch	16 x 16mm
Open area	64%
Type	Staight
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Hole	R28
Pitch	
Open area	50%
Type	stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft




Hole	R20
Pitch	
Open area	35%
Type	
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft

Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228

www.wiremesh-expert.com sales@wiremesh-expert.com



Hole	R40
Pitch	
Open area	79%
Type	Stagered
Size available	3ft x 8ft
	1m x 2m
	4ft x 8ft
	4ft x 10ft



Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228

www.wiremesh-expert.com sales@wiremesh-expert.com

A Professional Perforator Since 1998

Qinghe Metal Mesh Co.



Qinghe Metal Mesh Co.,Ltd

Mesh Park Anping County Hebei Province China

Tel : +86 318 756 5758 Fax : +86 318 756 8228

www.wiremesh-expert.com sales@wiremesh-expert.com